


# **Journal of Digital Art & Humanities**



**ISSN 2712-8148**

**Vol.3 Iss.1**

**June 2022**

**© Institute of Certified Specialists**

## CONTENTS

<b>An Introduction to History and Culture of the Way of Saint James: the Portuguese Central Route .....</b>	<b>3</b>
Artur Filipe dos Santos	
<b>A Journey through Homes: Relooking the Looking-Glasses of Geographical Partition .....</b>	<b>13</b>
Debashis Roy	
<b>Investigating the Effect of Ethical Climate on Financial Performance Through the Mediating Variable of Ethical Behavior .....</b>	<b>19</b>
Mohammad Reza Behmanesh, Mahboubeh Fatemi	
<b>Human Factor in Safe Health Care .....</b>	<b>29</b>
Yury Voskanyan, Irina Shikina, Arthur Gasparyan, David Davidov	
<b>Applications of Human-Computer Interaction in Health Psychology...</b>	<b>36</b>
Sapna Jain, M Afshar Alam	
<b>Ecotourism Source of Poverty Alleviation and Natural Conservation in Kashmir India .....</b>	<b>58</b>
Bilal Ahmad Khan	

# Applications of Human-Computer Interaction in Health Psychology

Sapna Jain<sup>1</sup>[0000-0002-5659-1941], M Afshar Alam<sup>1</sup>

<sup>1</sup>Jamia Hamdard, Delhi, India

[https://doi.org/10.33847/2712-8148.3.1\\_5](https://doi.org/10.33847/2712-8148.3.1_5)

Received 17.05.2022/ Revised 27.05.2022/Accepted 21.06.2022/Published 29.06.2022

**Abstract.** The Human-Computer Interaction (HCI) manages the plan, assessment and utilization of data and correspondence advancements. From man-made consciousness to social robots and robots for sexual problems, HCI covers a wide scope of uses. Abilities an interdisciplinary methodology, in light of the joint effort between intellectual mechanical technology and kid brain research, for oneself supporting plan of intellectual and conduct abilities in engineered intellectual specialists, including robots, that is animated by thoughts and formative systems found in kids. Cyberpsychology examines every one of the ones mental peculiarities which are identified with age and pursuits to examinations the strategies of substitute welcomed on through the exchange among fellow and the fresh out of the box new media. This paper discusses how artificial intelligence and HCI applications are handling psychological issues that affect health in an efficient manner. The paper explains how AI and human consciousness are interlinked and different factors play a very important role to provide the support for behavioral issues and diseases. The contribution of Artificial Intelligence in transforming HCI is discussed through case studies, applications and systems in the paper.

**Keywords:** Human-Computer Interaction, artificial intelligence, cyberpsychology, diseases.

## 1. Introduction

According to Knight and other scientists, the explanation of artificial intelligence is:

1. create the contraption additional smarter (fundamental purpose)
2. perceive what's intelligence (scientific purpose)
3. creating machines additional helpful (entrepreneurial goals)

From some definition, it should be concluded that artificial intelligence is that the type of intelligent portable computer that almost resemble human intelligence during which its characteristic will help human and replace human paintings. Artificial Intelligence can't be separated from psychology, notably in cognitive psychology. among the due Nineteen Fifties, some psychologists became of arduous thought that machines will be programmed for clever facts processing. Turing in 1950 a take a glance at "turing test", in which the computer application may win success if the solutions had been currently not distinguish from human answers [1].

In different words, once somebody communicates with a laptop however can't expertise that it's so much a computer it implies that the laptop has passed turing test. AI may be a human plan to assemble systems that show intelligence, larger precisely processing records. AI among the form of real laptop can't think, they need to be programmed to act as thinking. this is, they must be programmed to simulate psychological feature strategies. In this manner they supply North American nation insight on details of how humans' technique statistics cognitively. In essence, the pc is simply pieces of hardware containing the physical additives of the device that respond to the instructions. as an example, if you'll realize out a thanks to offer

instructions, VCD could be reply to the instruction and can do what we would like to do. AI will be supposing like human, or be capable of do this folk, however AI can help a machine created human has several barriers because it will no longer have the identical man or woman with human intelligence, like instinct. though computers will be manipulators image is true based totally on algorithms, they nonetheless lack intuition. Dreyfus argues that computers are best in mathematical and deductive idea, however now not intuitive questioning. for instance, the case of set up DC-10 United airways crashed whilst landing, and the 3 hydraulic structures stone-broke off the engine and drifted into the air, then crashed the tail of the plane whereas the 3 had been nonetheless non-stop pilot DC-10 contacted the technician's headquarters to manual them to fly the plane once all of hydraulic systems had been free. The technicians had been dumbing to assist the crew because they by no means that confronted this situation and were schooled in their education manuals, however the team who worked via looking forward to instinct to hold the plane with numerous opportunities of the remaining running machine after landed no matter collisions. The case well-tried that their instinct succeeded in resolution terribly arduous problem that they're dealing with. In this example there aren't tips to manual their moves, and zip pc program has ever been written to clear up the problem. AI may have intelligence this is often comparable to human intelligence, but nevertheless the intelligence possessed with the help of a portable computer is in a position to work in step with a group of policies which are program that has several barriers in any alternative view [1].

## 2. Literature Review

Artificial Intelligence (AI) has been gotten different fields which incorporates computer games, robots, law, stock trading, remote devices, and logical developments to even demonstrative methodologies [2]. The vast majority of those high level AI has streamed into customary projects, so much all together that those AI Packages can't be recognized as far as it matters for me, as is believed that when something is done as a standard utility and is of generous use, it can't be particular as AI any longer. Artificial intelligence programs appear to have an omnipresent infrastructural presence in some random industry. The past due 90s and the beginning of the 21st century saw the interlacing of AI innovative variables into that of the bigger group of frameworks [3].

Knowledge (AI) has as a rule focused on self-supporting frameworks that would refresh individuals in the particular fields. Similarly, as intellectual brain science may likewise discover new roads of examination from algorithmic-training idea, algorithmic schooling hypothesis can likewise have extra reasonable ramifications since it surveys the intricacy of human social records. This human-focused acknowledgment depends on interdisciplinary synergistic investigations from intellectual neuroscience, brain research, and hypothetical science [4]. In this brilliant time of age, without a stop, or breaking point, in sight; the moral and moral repercussions of man-made brainpower have three sides to the contention. One assessment has it that bunches of us are as of now tortured by destitution without work and there's almost no excuse to make mechanical representatives that can likewise think freely. While the other assessment is that, society can't advance or get benefits from sources without the assistance of machines that might assume for themselves essentially to some degree. Besides, the 0.33 gathering is least burdened with regards to those inconveniences by any means, as is normal of human culture [3]. Numerous clinicians guess that the mechanical ability of engineered insight can consolidate every one of the peculiarities created through the human psyche. This functionalist mentality observes the brain as an illustrative framework and brain science on the grounds that the branch of the various computational strategies by which scholarly portrayals is built, ready, and interpreted.

Despite the fact that it is beneath banter with respect to how various mental peculiarities can be advocated in computational terms; concerning which AI thoughts are significant for demonstrating techniques following therapist's point of view is yet to be noticeable [5].

Research in embodied artificial talent (AI) has developing clinical importance for recovery programs in scholarly wellness contributions, that is, in psychiatry, brain science, and psychotherapy. Developments range from 'computerized psychotherapists' [3] to social robots in dementia care and mental imbalance illness [4] and robots for sexual issues [5]. Progressively, misleadingly reasonable advanced and automated merchants don't appear to be generally brilliant to be had for amazingly low-stage components of scholarly wellness support, which envelop solace or social collaboration, then again also lift out high-stage recuperating mediations that was once presented completely by utilizing method of method for unmistakably prepared, master wellbeing specialists which comprise of psychotherapists [4]. Critically, such 'advanced' or 'robot advisors' typify a misleadingly savvy set of guidelines that reacts freely of any master human directing to the purchaser or impacted individual by means of an essentially epitomized presence, which comprise of a face symbol, or a substantial typified presence, which envelop a robot interface. Thusly, those rising bundles are mind boggling from the severa sorts of web-principally based totally treatment, which generally contain both a human advisor, yet from a distance (telemedicine), or the impacted individual herself, taking strolls autonomously with manuals, polls, or uncommon self-help substances [6]. Epitomized AI programs in scholarly wellness care convey any expectations of upgrading astounding of care and controlling use [7]. Likewise, in addition they keep the guarantee of undertaking underserved populaces in need of psychological well-being contributions and bettering presence probabilities for slanted gatherings. Notwithstanding, there may also be a persistent opening among current, rapid tendencies in AI scholarly wellbeing and the a hit reception of those gear into logical conditions with the guide of method of capacity of wellbeing experts and patients. What's more, it is been set up that the intercessions are consistently planned with none explicit moral contemplations [8]. Moreover, in any case the way that exploration often appear at the adequacy or moral utilization of a solitary application, presently don't regularly do they consider the ramifications for the mix of AI during the circle of emotional well-being higher extensively.

The current tendencies in AI and device considering, and equal advances in mechanical technology, have added to a shift withinside the logical method to displaying human insight. Those improvements have been noticed through the use of a sped up accentuation on epitomized and practical comprehension in AI and brain science. This has endorsed specialists to initiate to comprehend Turing's Imaginative and farsighted, this is, the prospect that an exemplified specialist, The utilization of a troublesome and quick of inborn inspiration thoughts directing the ongoing association among body, mind, and climate, can independently gather and blast progressively more extra troublesome sensorimotor and mental abilities grounded in interchange with the environment [9]. Human-Computer collaboration (HCI) is a multidisciplinary challenge wherein Psychology and remarkable sociologies join with PC mechanical data and related specialized fields fully intent on creating registering structures which are each truly valuable and usable. It is a blend of did and wide assortment one examinations, each drawing from mental investigations and Contributing new psyche to it. New period consistently adventures HCI analysts with new other options, as do the desires of late crowds and employments. A consequence of ease of use strategies were fostered that draw upon scholarly considerations. HCI research has reached out past its underlying foundations withinside the intellectual systems of persona customers to encapsulate social and hierarchical procedures worried in pc usage in genuine conditions notwithstanding the use of PC structures in coordinated effort. HCI

scientists need to pay interest to the more drawn out term changes conveyed about with the guide of the utilization of processing in a selection of scenes. Hypothetical advances in HCI are continuing on a scope of zenith indent fronts. Displaying of the blend of perceptual-intellectual engine systems to slight up individuals show with PC structures has go crazy to be expanded explicit at the more friendly stage, there may moreover be artistic creations on dispensed comprehension, zeroing in on the interchange of people with their partners and the antiques of their connection. Any selective class of obligations, that of records recovery, is getting interest from HCI scientists. What we do now not have not all begun is a top to bottom model of social communication or of a portion of the more noteworthy difficulties of reception of advancement. There is huge craftsmanship to be done to perceive what is presumably interesting around the reception of calculation as an advancement, due to the reality computational antiques may likewise be planned in such an assortment of one-of-a-type approaches.

Man-made reasoning may likewise be portrayed on the grounds that the capability of an innovative registering gadget to "act" independently, fixing inconveniences or destroying commitments and sports typical of the thoughts and human capacities. The dominating and control of records independently occur through the utilization of strategies, for example, "gadget dominating", "profound dominating", and "Intellectual processing" [10]. The time span "gadget dominating" alludes to a way with which the product program breaks down current realities, recognizes its attributes and "learns" from their examination; The device is successful of set up hyperlinks among the records and make expectations while not having been recently modified to work these extraordinary games [11]. The techniques of "profound dominating" control to area the device withinside the states of being successful of recreate the working of a human reasoning the utilization of various scopes of engineered neuronal organizations, which produce mechanized figures in holding with the data units of Training outfitted to the framework [11]. "Intellectual processing" in the extended run addresses the intellectual component of the gadget, with the guide of which it can perceive pictures, sounds and language copying the limits of human acknowledgment. IBM Watson is the best-perceived occasion of manufactured ability of intellectual calculation. Through the differentiation and understanding of data this gadget has the cap potential to learn, catch and proposition assessments. Given the huge volume of information that this contraption can store and join, it is far clear how its utility can offer a valuable commitment withinside the clinical field. Simply expect about a not unusual place gadget of logical examination; The degree of insights that IBM Watson is successful of don't neglect withinside the appraisal strategy some distance surpasses that of a human doctor. Watson subsequently, might be arranged as a genuine collaborator withinside the investigation stage, having the ability to look at many records should convey to the eye of the master most top notch the remarkable ones, decreasing the phony up-sides and bettering the total course of care [11]. Among the assorted uses of Watson, taking into account that 2016 has been brought a chosen contraption for scholarly appraisal: the "Character Insight". "By and by, this gadget, initiating from an unstructured literary substance of roughly 500-a thousand words, is fit for convey a persona profile specifically based absolutely at the equivalent factors of the Big Five Questionnaire [12]. With perceive to the Big Five Questionnaire, Watson makes it useful to procure an assessment without the exuberant mediation of the surveyed, of which it is far fundamental a simple composed printed content, and with generously limit charges and execution cases [12]. In this viewpoint, the utilization of manufactured ability as Watson does now presently don't supplant man, then again it magnifies its adequacy and knowledge.

### **3. Relationship between man and technology**

Men and science appear to co-develop appropriate into a technique for corresponding molding. On the exclusively hand, the man or lady adjusts (and advances) the innovation standard with his requirements, on the decision the time reforms the individual and the way by which it lives. Brain research, hence, as a test afferent to the human sciences, is recognized as to take an interest on this relationship and to capture its intricacy. Regularly, withinside the psychological field, the age accepts a horrendous implication and are featured the criticalities and the perils getting from the utilization, but leaving out any benefits and probabilities that this will outfit whenever used in a way useful. The task of this troublesome become definitively to examinations an amount of the innovation which might be these days relevant withinside the psychotherapeutic field. In the time of digitization, time has arise as a piece of the customary ways of life of every one of us, and contributes an enormous number of perspectives: from work, to study, to connections [12]. It's anything but a part that intercedes in a remoted way withinside the ways of life of fellow, on the other hand as a substitute of some component that portrays it and which changes the environmental elements by which it lives [13]. In the data of age, a regular pattern is recognizable: to make human-framework connection as close as conceivable to that what man is aware of having in his exceptionally close to home each day truth [13]. The huge firms which have been concerned in innovation have situated out that the extra the human-framework interchange end up being natural and accessible for fellow, the additional this come to be leaned to present utilizing the mechanism of their standard ways of life, inclining toward its dissemination. To associate with the essential figuring machine PCs, the person wished a specialized appreciation that end up being presently as of now not uninterested, so they have been utilized simplest withinside the taking strolls environmental factors; Later with the revelation of mechanical skill that made connection a developing assortment of natural which incorporates the mouse or contact screen), the utilization of those gear has moreover unfurl among of us that did now at this point don't want it for work . The digitalization of the traditional media has added about the development of most recent media, a developing amount of intelligent and measured. New media permits subjects to connect with each unique, defeating the limits of up close and personal discussion. As well as beating the region time restricts, this sort of interceded transaction adjusts the state of the actual association [12]. Brain science in well-known tends to research this kind of dating featuring the horrendous scholarly ramifications, from psychopathologies to conduct deviations which incorporates: reliance on cell phones, computer games, web, cyberbullying, sexting, and so on; however the dating with the media is parts more perplexing: from its examination it's some distance conceivable to secure how individuals comprise themselves and the general public wherein they live; diminishing the assessment to a prompt linearity with what's terrible does now presently don't allow to really keep up with shut the angles as a whole, each ravishing and dreadful that get from it. In such manner, cyberpsychology is prepared in a proactive manner with respect to the customary brain research of the media and endeavors to win over that responsive nature for which least complex the "malus" of conjunction among man and the media have been featured. Cyberpsychology examines every one of the ones mental peculiarities which may be related to innovation and has as its objective the assessment of the strategies for substitute initiated through method of ability of the collaboration among fellow and new media. The new media have made an organization new friendly region: the internet, an insignificant estimation, a significant discourse place by which individuals can have cooperation with each unmistakable through utilizing computerized devices which incorporates PCs, cell phones or each unique contraption that has the likelihood to associate on this "not unusual place region" [12]. The straightforwardness and promptness with which an individual, way to this computerized region, can examine with others have hastened the shift of the social aspect from the consistent with the advanced. Rejecting that the computerized exists is a deception, the social estimation

of Man comprises of the entirety of his connections, each individual who engage truly and individuals which have premise and enhancement through advanced. Man is a social being, and if on the main hand many consider period to be a cold device of annihilation of the socialization of the individual, on the option a couple of find in age an assistance contraption that extends and incorporates the social component of issue. Past the component of view from which we take a gander at this peculiarity, there's nevertheless a given objective: the computerized cannot be decided in a separated way in contrast with the "real". Man withinside the period of digitalization and new media is drenched in an aspect wherein what happens in truth streams at the computerized as well as the other way around; yet, the data of strategies one designs and develops the social estimation of the man or lady cannot neglect to by skip from a mindful assessment of the relentless intertwining among his on line and disconnected ways of life [12]. Intellectual sciences have adequately snared how the utilization of a given apparatus modifies the individual's intellectual framework and in a positive encounter expands the corporeity of the subject. Innovation has basically arisen as a sort of intellectual prosthesis, a quick expansion of the contemplations by means of method of capability of which we plan and protect shut data getting from the environmental elements, with the imperatives in general and probabilities that get from it [13].

In this historical previous there may be a query to which distinct theoretical visions, as compared to era and new media, have attempted to answer: are we to alternate the media or are the media to alternate us? In response to this question to at least one immoderate we find out the technological determinism of McLuhan and on the opposite the social constructionism of Williams. According to McLuhan the utilization of a medium of the instrumentation that mediates the interaction among individuals now no longer high-quality modifies the interactions, however moreover impacts the manner of feeling and considering folks who use it, consequently configuring itself as the principal system of alternate Social. According to Williams, however, the media have a psychosocial basis and stand up from the choose to reap a socially described purpose, consequently configuring itself as a very ultimate made of the social push. So, if on the solely hand plainly man has direct and aware manipulate of the media, on the opposite evidently the media alternate the cap potential of the character in an unpredictable manner as a characteristic of a psychobiological adaptation. Trying to mix these visions it's miles viable to mention that if on the solely hand the company new media and new science are conceived in line with a reason described a priori, with the reason of acting positive functions, on the opposite it is also real that on the time while these Technologies come to be a part of guy's existence exert profound adjustments every in its being and in its surroundings (Fig. 1); However, a spherical innovative and prescient whereby guy and era co-evolve in a reciprocal manner is increased purposeful withinside the comprehension of this intricate phenomenon [12].




Fig. 1. Technology approach.

#### 4. Cyberpsychology

With the stretch out of cutting-edge innovation and a developing amount of interconnected world, the circle of cyberpsychology has arisen as an absolutely unique region. Characterized because of the reality the area of information the psychological systems related with, and fundamental, all variables and capabilities of mechanically interconnected human lead [15], cyberpsychology comprises of more noteworthy than one and meeting disciplines which comprise of human-PC communication, PC science, designing, and brain research. Progresses in global dispatch and innovation, web-based media and systems administration locales, and mechanical closeness made through tendencies which include the iPhone have made changes in perspectives and practices. Besides, there may moreover be broadened acknowledgment of cyberpsychology through master affiliations, which incorporate the American Psychological Association (APA), notwithstanding by means of new diaries, meetings, and rising instructive projects. All things considered, the time length cyberpsychology has come to encapsulate several spaces of grant and sharpness that are seen from the perspective of brain research and the social sciences. The transdisciplinary idea of cyberpsychology draws in on a reach hypothetical perspective and keeps up with to develop. Besides, the bundles of cyberpsychology to a bunch of fields which incorporate instruction, medical care, the labor force, security, and mental practicing are some distance reaching [14]. Propels in AI had been completed to move of clinically related assistance administrations. SimCoach, for instance, bears the cost of an opportunities for military supplier givers and their families to assemble taking care of oneself through an on the web, intuitive, and computerized human specialist. Virtual human sellers can tune in, give exhortation, give hyperlinks to assets, or illuminate a story related with the member's experience. Robots address the substantial epitome of AI and had been likewise used in clinical limits. Rotherapy [16] or automated helped better therapy is "utilizing robots in a tweaked proof principally based absolutely totally psychotherapy structure to help psychotherapists to achieve their clinical jobs and aims [17]. Robots and automated helped cure have indicative guarantee notwithstanding the usefulness to embellish the social capabilities of kids perceived with chemical imbalance range sickness (ASD) [18,19, 20,21]. Specifically, query have exhibited that robots can be valuable in ASD medicines as go between among human models/advisors and children related to ASD [22]. Social robots have also been shown to have palatable outcomes at the wellness of more established populaces in bringing down depression and creating social association [23].

One case is a mechanical ordinary like a little child seal, named Paro, that communicates with clients to energize successful mental outcomes which comprises of consolation, happiness, and unwinding. Paro is as of now being used at pediatric medical clinics and eldercare offices. Cooperation with Paro has been shown to decorate clients' mind-sets, making them more prominent vivacious and informative with every single particular and parental figure, and reduction strain in more seasoned clients with long-lasting period results [24,25]. Pundits have contended that higher thorough exploration is needed to clarify the viability (i.e., affect size, clinical significance) and the instruments of substitute withinside the instance of social robots for the matured [26,27]. Furthermore, expanded exploration is needed on whether or no longer communications with robots may moreover be summed up to genuine ways of life connections, which incorporates withinside the instance of children with chemical imbalance [28]. It very well may be anticipated that the enhancement of solid computerized individuals will intention a variety of likelihood educational and mending administrations. Some have proposed creating robots which could possibly running independently withinside the future [18]. Guaranteeing that clinicians stay

drew in on this fine art is important to the enhancement and execution of powerful and moral applications. The dating among web-based media use and mental working, fundamentally strain and wretchedness, has approved in excess of a couple of results. Some examination have seen that online media use wonderfully affects pleasantly being with the valuable asset of the use of working with on line social associations as well as improving physical (disconnected) communications [28]. For example, Facebook use is identified with impression of on-line social aide [29,30]. Such aide has all the earmarks of being related with amount of Facebook companions, which, thusly, is identified with diminished pressure and sensations of prosperity [30]. Having a superior Twitter social area and being bigger incredible locally seems, by all accounts, to be explicitly truly supportive to individuals with limit levels of in-individual social data in mollifying burdensome psyche and signs and side effects [31]. Relatedly, on line self-revelation appears to gentle the association among unbalanced telephone use and strain and depression with enormous decreases in dejection and tension for radical cellphone customers who talk their sentiments and nerves on line, then again sped up pressure for people who occupied with minimal on-line self-exposure [32]. The World Health Organization (2018) thinks about gaming issue (GD) a psychological wellness situation withinside the International Classification of Diseases 11th Revision (ICD-11). Standards typify social striking nature, dropping interest in and bringing down unmistakable delight exercises, debilitated control over gaming, and continuation or acceleration of gaming disregarding the occurrence of horrendous outcomes. What's more, the Diagnostic and Statistical Manual of Mental Disorders (DSM-5) (American Psychiatric Association, 2013) comprises of net gaming sickness (IGD) as a situation for likewise study. The situation comprises of 9 norms, aggregately with distraction, withdrawal indications, resistance, ineffective attempts to oversee investment, and absence of premium in past pursuits and additionally diversion. Pundits of every GD and IGD recommend that they need vital hypothesis, definitions, well set up and normalized appraisal instruments, and a perfect agreement in expressions of what establishes elaborate use [33,34,35]. Also, norms outstandingly principally dependent on playing dependency or substance use sickness can be misleadingly completed to gamers.

With the reach out of current innovation and a developing amount of interconnected world, the circle of cyberpsychology has arisen as an absolutely uncommon region. Characterized because of the reality the area of information the psychological procedures related with, and fundamental, all variables and skills of innovatively interconnected human lead [15], cyberpsychology comprises of more noteworthy than one and crossing disciplines which comprise of human-PC association, PC science, designing, and brain research. Propels in worldwide dispatch and innovation, online media and systems administration destinations, and mechanical closeness made through tendencies which incorporate the iPhone have made changes in perspectives and practices. Also, there may moreover be broadened acknowledgment of cyberpsychology through master affiliations, which envelop the American Psychological Association (APA), notwithstanding by means of new diaries, gatherings, and rising instructive projects. Accordingly, the time length cyberpsychology has come to epitomize several spaces of grant and readiness that are seen from the perspective of brain research and the conduct sciences. The transdisciplinary idea of cyberpsychology draws in on a reach hypothetical perspective and keeps up with to advance. In addition, the bundles of cyberpsychology to a horde of fields which incorporate schooling, medical services, the labor force, security, and mental practicing are some distance reaching [14]. Progresses in AI had been completed to move of clinically related assistance administrations. SimCoach, for instance, manages the cost of an opportunities for military supplier supporters and their families to assemble taking care of oneself through an on the web, intelligent, and advanced human specialist. Virtual human vendors can tune in, give exhortation,

give hyperlinks to assets, or illuminate a story related with the member's experience. Robots and mechanical helped cure have demonstrative guarantee notwithstanding the usefulness to decorate the social capabilities of kids perceived with mental imbalance range illness (ASD) [18,19, 20,21]. Specifically, query have exhibited that robots can be useful in ASD medicines as arbiters among human models/advisors and children related to ASD [22]. Social robots have moreover been exhibited to have good outcomes at the wellness of more established populaces in bringing down depression and creating social association [23].

## 5. Role of HCI in Psychology

Advancement of Diversity Sensitivity in HCI Through the development of HCI studies, numerous scientists had been spurning the age designated view in choose from a more human-designated one [36,37]. A few scientists headed out to intrigue their examination questions now as of now not altogether on innovation improvement on the other hand furthermore on techniques to upgrade individual revel in [37]. During the 1970s, customers have been viewed as a component in a levelheaded gadget and withinside the Nineteen Eighties as an award of blunder [37]. This idea compares with the first wave of HCI [38]. In the Nineteen Nineties a more prominent all-encompassing skill end up being set up. Clients have been showed up as partners in friendly transaction [37]. In line, reads up for the time of the subsequent one influx of HCI equipped towards data the clients' idea [38]. During the 2000s, promoting and publicizing and outline reasonings got influence; on the main hand, bearing the danger of work in market fragments as a substitute than people, actually hand, helping revel in-orientated manners [43] [44]. In agreement, Bødker [18] features the meaning of revel in and setting withinside the 1/3 influx of HCI. Additionally, Harrison, Tatar and Sengers [39] announce that the 1/3 wave in HCI needs to well perceived the situatedness of customers notwithstanding scientists; comprehension and sense-production is persistently situated inside a specific circumstance – comprehensive of the social setting related with shift aspects close by with sexual orientation [39]. Thusly, concentrates on organizations met the name for more setting consideration, for example through method of method for setting up novel in situ prototyping and endeavoring out rehearses [40]. The shift of worldview raised the eye to interindividual differences and their assessment. Such interest for the significance of differ aspects in research is reflected through method of ability of the substance material texture in HCI gathering guides. Having our investigated texture corpus situated on this specific circumstance, we took a superior look into current day markers. Close to the announcing studies and conferring findings, reach can likewise be subject of discussion or rouse starting elements for the enhancement of contemporary cycles. By and by, promising tendencies may likewise be noticed: For example, on the CSCW Conference 2017, a studio on design strategies for "underserved gatherings" took area [41]. At the IDC Conference 2017, limits and empowering agents for value and inclusivity concerning various young people and families have been tended to and research methodologies have been progressed [42]. For instance, the scientific network chips away at worldwide, ethnic, racial, sex, institutional, capable bondedness-related or social fluctuate of specialists and manufacturers [45]. Consequently, range elements may likewise be tended to centered around the scientific network. To name models, the grassroots advertising effort #CHIiversity [46] designed for featuring range-related and for the most part women's activist issues via limit of cultivating neighborhood setting up and basic conversations and attracting movement to run parts. Wisniewski et al. [47] coordinated a board to discuss parts of scope of the scientific network. Nonetheless, paying little heed to the way that reach and individual inclusion are viewed more prominent in a serious way, the more extensive people show up now no longer to be

canvassed in greatest investigations attempts as tests exemplify limited and unrepresentative variables of the general population. Ordinarily, the ones of us who are easily to be had to the investigations team are concerned. Consequently, people in character research are habitually understudies [49,50]. A huge portion of posted still up in the air out in so-alluded to as WEIRD, for example Western, taught, industrialized, rich and popularity based social orders and as an outcome, individuals have a place with WEIRD social orders, showing a spotless inclination in financial status, age, and training, what makes them unrepresentative of the world's general population [50] [52]. Further, more folks are worried face to face research. Despite the fact that there was a change in the course of concerning more noteworthy young lady and significantly less understudy people [51], social firms are far from being along these lines addressed. An in-upgrade difference of CHI distributions found that during 2014 handiest 58% of the CHI compositions expressed a level old enough and handiest around 3 quarters expressed sexual orientation [53]. Socio-socioeconomics are occasionally now at this point not portrayed in papers. Accordingly, revealing and contemplating segment parts in scientific courses does now at this point don't appear at be the standard yet. Either socioeconomics doesn't appear to be thought about truly helpful or fundamental, as analysts decide upon to "find human universals" [50], or in one-of-a-kind cases, systemic musings do now at this point don't allow segment data securing [54]. In rundown, the HCI Feld has created withinside the course of meeting consideration for reach and insight a human-centered view, then again basic fine art well known that holes however exist. In any case, writing addresses anyway a bound scope of change aspects, while comprehensibility is wanted on wherein the HCI field stands withinside the current day consideration of fluctuate aspects from a quantitative and complete part of view.

Human centered processing (HCC) is a rising discipline that fantasies at spanning the current holes among the several disciplines stressed with the configuration and execution of registering structures that help human's exercises. HCC needs at firmly coordinating human sciences (e.G. Social and intellectual) and pc innovative skill (e.G. Human-pc exchange (HCI), sign handling, work area learning, and Ubiquitous registering) for the design of figuring structures with a human consciousness from the beginning as far as possible. This center needs to keep up with in reasoning the individual, social, and Cultural settings wherein such frameworks are conveyed [55]. Past being a gathering Region for present disciplines, HCC besides interests at quite changing processing with new systems over to plan and build developments that help and brighten people's Lives. Shopper centered format can be portrayed as a multistage issue fixing system that calls for creators now at this point not most straightforward to review and anticipate how clients are more then likely To utilize an interface yet notwithstanding test the legitimacy of their presumptions as respects to man or female propensities withinside the real worldwide [48]. Ordinary organization methods frequently incorporate heuristic audits and estimations of usefulness and productivity. In assessment, HCC covers extra than the conventional spaces of ease of use designing, HCI, and human components, which is possible for the most part engaged with purchaser interfaces or individual Interaction. HCC "incorporates the learning, social, and intellectual sciences and shrewd frameworks regions bigger eagerly than ordinary HCI" [57]. In sync with [58], rather than HCI, the change in attitude with HCC is twofold:

- HCC is "imagined as a theme this is crucial for all PC related examinations, no longer as a topic which covers or is a sub-discipline of PC innovation";
- the HCC view recognizes that "processing implies each substantial science (that permits severa obligations) and a significant social and financial strain." Interactive transformative calculation, a fascinating strategy initially progressed in the mid Nineteen Nineties and extra at present viewed as human-based calculation [58][59][60], Also areas the human on the middle, then again in a one-of-a-type way. In customary calculation, A

human gives a formalized difficulty depiction to a PC and gets a Way to decipher. In human-based calculation, the jobs are switched: the PC requests a person or an enormous kind from people to unwind a problem, then, at that point, gathers, Translates, and coordinates their replies. In exceptional expressions, the PC "inquires" the Human to do the craftsmanship it can not do. This is proceeded as a method for defeating specialized Difficulties: rather than looking for to get pc developments to cure issues which may be excessively confounded, use people. In human calculation, the human is supporting the PC Resolve difficult issues, then again in HCC, the PC licenses individuals augment their Competencies independent of the realm of issues - the human favor not be withinside the front of a PC Acting a processing adventure while adapting to the PC. Despite the fact that HCC and human-based calculation technique registering according to Special viewpoints, they each attempt to amplify the collaboration among human abilities and figuring resources. Work in human-essentially based absolutely most certainly calculation can consequently be of huge importance to HCC. On one hand, insights amassed through human-based Computation frameworks may furthermore be cherished for creating contraption acquiring information on designs. On The particular hand, it is in a situation to help us higher catch human conduct and abilities, once more prominent Of direct use in HCC set of rules improvement and instrument design.

## **6. Human-Computer Interaction and Cognitive Psychology**

The expression "intellectual mind science" evolved to be first used with the manual of Ulric Neisser in 1967. From that factor forward, several intercessions have risen up out of the highbrow see that has helped the distance of mind research, then again now currently now no longer just, since it moreover addresses several selective disciplines, being generally tested with the manual of technique of capacity of people in a number of stand-out fields like instruction, business, and plan, for instance. Moreover, Cognitive Psychology is one of the majors' supporters of Human-Computer Interaction (HCI) research via way of means of making use of technique of capability of bestowing and making use of intellectual musings to recognize and help with extending patterns that suggest and anticipate human execution (Green, Davies, and Gilmore, 1996). Intellectual Psychology is a good-sized horrible parcel like Design withinside the way it offers with a problem, being goal oriented and problem centered from the start. Assuming you are entering remedy with a highbrow analyst, one of the important subjects you will be noted to do is choose out your problems and outline specific longings for yourself, and then you may be assisted with putting in place your problems in a manner a respectable way to improvement the chances of amassing your requirements — and this is definitive what creators usually do. As in keeping with the highbrow mechanical talent basically primarily based totally maximum absolutely rules, human reminiscence constraints, consideration, learning, need making, and self-belief ought to were taken below idea while making plans an incredible Graphical User Interface (GUI). There are numerous musings which have been proposed below the ones five perspectives: Retention Theory, Schema Theory, Cognitive Load Theory, Gestalt Law and others. Every rule proposed appears to has its personal favors and drawbacks. In any case, there are no "brilliant thoughts" which might be prepared to do truly characterize the equivalent old of developing a viable and instinctive GUI. Intellectual brain science is a scholarly innovative mastery that examination the psychological handling at the again of perception and conduct (like reasoning, decision, thinking, and the confirmation of inspiration and emotion) [69]. This mechanical information covers a huge scope of examination fields, planning to notice the activity of memory, consideration, conviction, data portrayal, thinking, imagination, and critical thinking [70]. As per the guideline, the records-handling figuring gadget of the human considered comprises four sections: receptor, effector,

memory, and processor (or oversee machine). To start with, the climate inputs archives into the receptor, and the receptor changes over the records. Prior to coming into the long-lasting period memory, the changed records want to be picture recreated, distinguished, and as conversely, via ability of the control machine. The memory machine then, at that point, shops the picture structure that can be separated. At last, the effector responds to the outside world [71].

In the HCI machine, individuals and machines perform their separate obligations and utilize their particular handling constructions to contraption records. The first is the confidence interface. The human conviction machine will get save of clear line of sight, material, or hear-able boosts gave the valuable asset of utilizing the framework interface, pick out and gadget the improvements provided with the guide of the utilization of the machine interface, and communicate them to the cerebral cortex for memory. The 2d is the carport machine. Through the human stockpiling machine, the data got is put away, handled and separated, and communicated to the human reaction machine. At long last, HCI is executed. Through the HCI machine, the framework interface can likewise be worked as needs be, and the acquired upgrade can likewise be taken care of again to the human confidence work area [71]. Figure three proposes the work process of the HCI machine. HCI is described with the guide of the utilization of repeatability, adaptability, digitization, humanoid look, body movement, transaction, and representation. At the point when HCI is used in work force preparing, it can perform easy and rehashed activities to help the skills get to know and gravitate toward the data of transporter plan. It can lease adaptability to help educators manage and configuration training sports in accordance with pertinent training necessities all together that teachers and school understudies are not limited with the valuable asset of utilizing perusing content material fabric and instructing materials.

In expressions of digitization, it can utilize the sharing and remodel characteristics of virtual chronicles to record educators' instructing appreciate as a method for serving workers training [72] better. A humanoid appear is extra appealing, which ought to animate undergrads' leisure activity and daydream and upgrade their drive; outline movement can manually peruse content material through activity; and HCI can cooperate with college understudies to improve their drive and practicability. The representation of HCI likewise can to a degree save away from researcher shame for the time of the investigating system [73]. One of the more drawn-out running aggregate endeavors in HCI is the attempt to comprehend in component the association of intellectual, perceptual, and engine added substances withinside the second-with the valuable asset of utilizing second communication any singular experiences while taking strolls at a laptop [74]. This endeavor remains in evaluation to a total parcel of traditional mental examinations in that the reason is to perceive how extra than one parts of conduct connect with, presently as of now not most likely how one functions. Card et al. [75] in an e- digital book alluded to as the Psychology of Human-Computer Interaction. In this e-digital book they indexed peculiarities from the customary mental writing that they accepted had been impacting everything in HCI assignments: Fitt's Law, Hick's Law, Gestalt standards, the Power enactment of training, and so forth They assembled a troublesome and fast of designs that isolated the data needed to utilize a specific PC, alluded to as GOMS (an abbreviation made of its fundamental added substances: objectives, administrators, techniques, and inclination rules), from the motor that works in this arrangement to supply direct, alluded to as the adaptation human processor. With this methodology, one should decide several essential practices: the time it takes to do a task (the amount of pretty various "intellectual designing time boundaries" which comprises of scholarly and real demonstrations), which determinations people will make while went up against with probability strategies, what styles of slip-ups are plausible (e.g., absence of items from brief time frame length memory, an engine

slip), and the manner in which delayed it will take for a person to query an organization new application.

An immense assortment of analysts created in this genuine work, including boundaries of scholarly and substantial action [76] and displaying factor about the perceptual methodologies [77], obliging covering scholarly for the duration of the opportunity psychotherapy have come to be an ideal logical subspecialty [78], the Wright siblings have been developing the head airplane [79]. In the beginning of avionics, flying developed to be done through sense, which added to wounds and stand-out limits that deflected departure from transforming into an amount one modern state of transportation. Presently, an appear into the cockpit of a contemporary-day airplane shows several contraptions that helpful valuable asset contemporary-day pilots. In addition, military pilots have heads-up proposes that drive records into their circumstance of view in genuine time [80]. There can be flying perfectionists who long for the occasions while there has been a bigger cozy association among the pilot, the airplane, and the air, then again few might debate that the innovative increase of pilot Genius has helped explorers drastically fundamental air visit to be a lot most impenetrable assortments of visit of all time. While flight and psychotherapy are widely select undertakings, each are hazardous games exercises with high-stakes results. Be that as it may, the assessment in helped age use among flying and psychotherapy is unmistakable. Only because of the reality it developed to be a century prior, psychotherapy in huge segment remains a verbal trade among people withinside the equivalent room, independent through open air devices. In contrast to flying, we do now no more except for thoroughly catch how psychotherapy functions, and subsequently, instrumentation and innovation do now at this point don't furnish advocates with direct comments to embellish illustrations or hold away from awful outcomes [81]. As a matter of fact, there were fundamental enhancements in psychotherapy, alongside the reception of logical preliminaries, creation of sound recording and direct analysis of logical connections, formal verification for the meaning of the recuperating coalition, meaning of social cycles, enhancement of many confirmed basically based absolutely totally medicines, meta-assessment for the accumulation of exploration, ideal documents to adaptation extrude and gauge widespread execution variations among advisors, and tremendous naturalistic adequacy query with masses of heaps of customers. Furthermore, standard psychotherapy has created from early long-lasting period assessment to briefer, reason coordinated and vivacious styles [82]. Be that as it may, while an advisor strolls into the counseling room, they're absolutely all alone. Preparing and revel in tell advisor choices withinside the meeting, of course in-the-subsequent choices regardless rely on the felt insight of guides to answer fittingly. Research stays relying upon standard, numerous years vintage techniques to check out the advisor client cooperation (e.g., studies of the customer or advocate, onlooker appraisals). While scholarly wellness has up until this point deflected the innovative disturbance that has presented about fundamental changes in transportation, news-casting, and unmistakable spaces of medication, the standing quo looks as of now not prone to safeguard unaltered. However, in anything shape, it is miles per chance that any future emotional well-being framework will hold to fuse relational communications. Along these lines, studies may be needed to capture a way to: (a) teach suppliers, (b) adjust to the requesting conditions and probabilities gave through new molds of training, and (c) catch shouldn't something be said about the one's associations help. The end intention is that age will decorate the abilities that people convey to guiding. An airplane flown through sense became limited to rather quick trips with not many travelers. Present day airplane can fly heaps of travelers round the space with a little group.

## **7. User Centered System Development**

A number of researchers constructed in this authentic work, including parameters of intellectual and bodily action [79] and modeling element approximately the perceptual processes [80], accommodating overlapping intellectual across the time psychotherapy have become a proper scientific subspecialty, the Wright brothers had been constructing the primary airplane. In the early days of aviation, flying changed into done through sense, which contributed to injuries and different barriers that avoided flight from turning into a number one business shape of transportation. Now, a look into the cockpit of a present-day plane suggests several units that useful resource present day pilots. Moreover, fighter pilots have heads-up shows that push data into their subject of view in actual time [81]. There can be flying purists who yearn for the times whilst there has been a greater intimate connection among the pilot, the aircraft, and the air, however few might dispute that the technological augmentation of pilot talent has benefitted vacationers dramatically main air tour to be a few of the most secure varieties of tour ever. While aviation and psychotherapy are drastically distinct tasks, each are complicated sports with high-stakes outcomes. However, the assessment in assisted generation use among aviation and psychotherapy is stark. Just because it changed into a century ago, psychotherapy in large part stays a communication among people within the identical room, unaided through outside tools. Unlike aviation, we do now no longer but completely apprehend how psychotherapy works, and thus, instrumentation and generation do now no longer offer counselors with direct comments on the way to enhance classes or keep away from terrible outcomes [82]. Admittedly, there were essential improvements in psychotherapy, consisting of the adoption of medical trials, invention of audio recording and direct commentary of medical interactions, formal proof for the significance of the healing alliance, significance of cultural processes, improvement of many evidenced-primarily based totally treatments, meta-evaluation for the aggregation of research, superior data to version alternate and estimate overall performance variations among counselors, and massive naturalistic effectiveness research with masses of hundreds of clients. In addition, mainstream psychotherapy has advanced from early long-time period evaluation to briefer, intention-directed and energetic fashions [82]. However, whilst a therapist walks into the consulting room, they may be totally on their own. Training and revel in tell counselor selections in the session, however in-the-second choices nonetheless rely upon the felt experience of counselors to reply appropriately. Research stays depending on standard, many years vintage methodologies to examine the counselor patron interaction (e.g., surveys of the patron or counselor, observer ratings). While intellectual fitness has to this point prevented the technological disruption that has brought about essential shifts in transportation, journalism, and different regions of medicine, the repute quo seems not going to maintain unaltered. Yet, in something shape, it's far possibly that any destiny intellectual fitness machine will maintain to contain interpersonal interactions. Thus, studies can be had to apprehend the way to: (a) educate providers, (b) adapt to the demanding situations and possibilities provided through new fashions of practice, and (c) apprehend what approximately the ones interactions help. The remaining intention is that generation will decorate the abilities that human beings carry to counseling. A aircraft flown through sense changed into confined to particularly quick flights with few passengers. Modern plane can fly masses of passengers round the sector with a small crew.

### **7.1 User Centered Design**

A user-focused layout is a layout approach and philosophy wherein the wishes, goals, and fulfillment of the end client are considered. User-targeted layout may be

implemented to any type of system, object or product intended for human use; however the time period is used most often in Connection with pc statistics machine layout packages and systems might not have one idealized consumer [83]. User-targeted designers recognize that they will be often now no longer designing for one client, however for some of exclusive styles of clients Software's customers will often be segmented via way of means of Designers into smaller feature-primarily based totally completely groups, with Unique wishes based totally on the records they Require and the duties they want to carry out. From time to time the ones wishes may also pull the client interface Design in unique guidelines. For example, novices getting to know new artwork responsibilities might also additionally moreover find out it much less complex to take a look at a brand-new software if it gives its workflow as a sequence of easy steps. Experts who have mastered getting the artwork finished, but may additionally view the series of steps enforced with the resource of a linear consumer interface as tedious. These professional clients might also additionally moreover want a client interface that gives rapid access a breadth of capabilities the software program gives. Person-focused layout recognizes that it may now no longer constantly be possible to satisfy each device of character goals with an unmarried interface solution. One preference is to offer amazing processes for the exclusive consumer corporations to carry out the identical assignment. Some different opportunity is to interest on one organization of customers and exclude assist for the opportunity. This sort of choice has results on most of the exclusive alternatives the fashion designer will want to make as they craft the consumer interface. As quickly as an software program's customers have been diagnosed, the vital interest of character-targeted format is to offer a solution that solves the clients' actual problems. The first step consists of getting to know and knowledge the sports and duties that the software program's clients need to perform. This is followed with the resource of identifying software program functions that resource the ones sports activities. If a feature does no longer cope with a real client pastime, it does now no longer make it into the consumer interface format specification. Functions that guide key character sports activities get the most priority in the layout specification, and are anticipated to be each easy to discover and easy to perform withinside the consumer interface. Consumer-focused layout recognizes that clients are masses higher at presenting essential comments In response to a prototype character interface, that is, a few element they may see, than they are in offering up-the front awesome descriptions of what They need or are looking for. To cope with these designers often jump-start the approach with the resource of starting with nonfunctional mock. Or storyboards illustrating What the video display units should seem to be, after which Exchange them in reaction to the clients' comments [83].

## ***7.2 Usability Engineering and Verification***

Usability is increasingly seen as one of the decisive factors that determine the achievement of an interactive system [85]. It was considered to be associated with the user interface (UI) [86]. Hence it is widely discussed. It is a widely held opinion that unusable character interfaces cause many interactive systems to fail [87]. The effort to create usable character interfaces has encouraged the emergence of a wide range of usability assessment techniques. However, some approaches only include usability reviews after the software program has been properly executed and implemented [84]. Others are based entirely on reviewing usability thoughts about intermediate artifacts. However, some approaches include user-friendliness valuations after the software program is well done and implemented [84]. The project to participate in the evaluation of usability in a DEM environment is the subject of numerous studies today, including [88,89,90,91]. But the prevailing strategies have numerous shortcomings. We mainly cite the lack of clear information

about how usability attributes are measured and the lack of empirically tested usability assessment procedures. Likewise, most of the suggestions pay attention to the usability evaluation (problems arise) and forget the problem of decoration (correction of annoyances). There are several strategies for assessing usability, now they are no longer well integrated into a single conceptual framework that allows their use with the help of builders who are not trained in human-computer interaction (HCI) [86].

The propositions of Abrahao et al. [87,88,89,90] are some of the most cited strategies within the usability literature that belong to This organization. In Abrahao and Insfran [87] have proposed a usability version for early Assessment in MDE environments. In this version, usability grows to be decomposed into subcharacteristics Which is probably in turn decomposed into greater unique measurable attributes. The Relationships among the factors from the artifact of a selected MDE approach and the Usability attributes had been then set up. Molina and Toval [88] proposed to combine Usability necessities in version-pushed net improvement. The reason was to increase the Expressivity of models that represent the navigation of net packages to have the ability to Represent usability requirements that may be evaluated via the software program of automated Metrics. The authors of Panach et al. [87] proposed a manner for comparing Internal usability via defining metrics for conceptual primitives that represent conceptual Fashions. One of the strengths of this paintings turned into the have a study of the correlation among the Calculated metrics at early tiers and the provide up-client perceptions accumulated from questionnaires. In Panach et al. [88], the authors cope with the usability competencies related with the machine capability, which might also additionally moreover contain vital changes within the gadget structure. They use the terms sensible Usability competencies (FUFs) to indicate this shape of usability Capabilities. The FUFs are abstractly represented through the usage of conceptual primitives as a manner to Enlarge the conceptual model of a present day MDD technique. The conceptual model can then Be seen due to the fact the input for a version compiler which could generate the software program application application Routinely (or semi-automatically, relying on the model compiler capability). In Panach et al. (2014), a fixed of the famous FUFs within the human-computer interplay Community are gathered in a usability version so one may be included from the early step in a holistic MDD approach.

The in Abrahao et al. [91], Aquino et al. [92] and Fernandez et al. are examples of some of the well-referenced works by this organization. They performed the usability assessment by thinking about the human interfaces that were generated with the usability assessment within the direction of the improvement lifecycle. The improvement life cycle is not always a new concept. This problem is addressed through the use of the Usability Support Structure Patterns (USAP) idea in Bass and John. to the format of the form of a software gadget software program so that you can address a perceived desire with the aid of an ease-of-use membership at the on-demand stage. In Carjaval et al. [141] the authors described a number of usability software improvement tips to help software engineers incorporate unique usability features into their packages. Nowadays software improvement of software programs is being transferred in the direction of model-driven development technology (MDD). Model transformation is a major artifact to the latest device implementation using the conceptual model consideration as input. In recent years, projects have been proposed that attempted to lead the way in transforming the model through ease of use. The reason was to provide gadget software with the preferred usability requirement. integral part of the techniques used to improve the character interface. The aim was to link the usability goals in the process of generating personal interfaces. To take advantage of this, usability has been modeled using an intent diagram for each version of the middle-man interface, and the usability goals relate to the

attributes of these models. interpreted to model the constraints and use the constraints of ones to guide the choice of transformation rules. In González Huerta et al. [94] the authors proposed a way to contain versions of versions that are guided by excellent properties. to outline a quick and difficult artifact and a method for specifying and executing model modifications, in which the selection of the differences in possibility is completed on the idea of first magnificence attributes. The feasibility of the proposed structure is demonstrated using a case look at, which transforms a real needs model into a UML beauty model. Sottet et al. [95] dealt with the problem of maintaining user-friendliness sooner or later by adapting user interfaces to their context of use (i.e. character, platform and environment). This work examined model-driven engineering mappings in order to control the adaptation of the client interface Usability criteria. The mappings specify the usability houses, which are also retained as renovation supply models in target models during the runtime. "Usability engineering" has become a catchphrase under which numerous methodological efforts were undertaken in the 1980s [96,97]. There have been three key notions: First, it have become proposed that iterative Improvement be managed in step with express and measurable targets, Referred to as "usability specifications"[98] .For that reason, in designing a word processing software program, one might Iteratively layout and redecorate, prototype and compare, embody real secretaries within the layout deliberations, but moreover make express commitments to precisely Operationalized desires such as " thirds of clients is probably able to put together a web page industrial company letter in much less than ten minutes with fewer than three mistakes After half-hour education." Usability specifications at the moment are famous exercises In HCI improvement. The 2d one key belief in usability engineering has become a name to increase the Empirical scope of the layout. A unfold of techniques and techniques for client Participation were developed, a whole lot of which emphasized "low-tech," cooperative Sports to facilitate collaboration among customers, who convey information on the paintings scenario, and builders, who bring facts on era [96, 97,98]. This technique went beyond earlier formulations of consumer involvement thru describing Broader and extra energetic roles for customers. In the "participatory format", as the approach is recognized today, customers are busy specifying format requests and planning prototypes instead of worrying after the first prototypes have been deployed excellent [99]. This emphasis has been cited as "contextual design" [100].

## 8. Conclusion

In this paper, we gave an overview of HCC from a numerous perspective. The three main regions of human-centred computing emphasizing the psychological issues to and provide applications to give provide solutions and support.

## Acknowledgment

The authors acknowledge the DST organization of the government of India for providing the Fund for Improvement of S&T Infrastructure (FIST) for the research lab in the Department of Science and Technology, Jamia Hamdard, to conduct this research work.

## References

1. Sitepu, Juli Maini. "Artificial Intelligence Related to Psychology." In *ICGE Conference Proceedings*, vol. 6, pp. 802-807. 2018.
2. Artificial Intelligence & applications Tahan M. (In Press). *Artificial Intelligence applications and psychology. Avicenna Journal of Neuropsychophysiology.* Doi:

<http://dx.doi.org/10.32598/ajnpp.4.3.210>

3. Shukla S, Jaiswal V. Applicability of artificial intelligence in different fields of life. *International Journal of Scientific Engineering and Research (IJSER)*. 2013; 1(1):28-35.
4. Mozera MC, Wiseheartd M, Novikoffc TP. Artificial intelligence to support human instruction. *Proceedings of the National Academy of Sciences of the United States of America*. 2019; DOI:10.1073/pnas.1900370116
5. Wang Z, Xie L, Lu T. Research progress of artificial psychology and artificial emotion in China. *CAAI Transactions on Intelligence Technology*. 2016; 1(4):355-65, DOI: 10.1016/j.trit.2016.11.003
6. Tran BX, Vu GT, Ha GH, Vuong QH, Ho MT, Vuong TT, et al. Global evolution of research in artificial intelligence in health and medicine: a bibliometric study. *Journal of Clinical Medicine*. 2019; 8(3), DOI:10.3390/jcm8030360
7. Lee Y, Raguett RM, Mansur RB, Boutilier JJ, Rosenblat JD, Trevizol A, et al. Applications of machine learning algorithms to predict therapeutic outcomes in depression: A meta-analysis and systematic review. *Journal of Affective Disorders*. 2018; 241:519-32. DOI: 10.1016/j.jad.2018.08.073
8. Gelernter H, Hansen JR, Loveland DW. Empirical explorations of the geometry-proving machine. In: Feigenbaum E, Feldman J (editors). *Computers and thought*. New York: McGraw-Hill; 1963.
9. Artificial Intelligence applications and psychology. Available from: <https://www.researchgate.net/publication/335016214> *Artificial Intelligence applications and psychology*
10. Beilby, J. (2018). Workforce innovation: Embracing emerging technologies. *Australian Journal of General Practice*, 47(8),522-524.
12. Riva, G. (2008). *Psychologies dei nuovi media*. Bologna: Il Mulino
13. Connolly, I., Palmer, M., Barton, H., & Kirwan, G. (2016). An introduction to Cyberpsychology. *Cyberpsychology, behaviour and social networking*, 19(4), 294-295
14. Julie R. Ancis, *The Age of Cyberpsychology: An Overview, Technology, Mind, and Behaviour*, <https://doi.org/10.1037/tmb0000009>
15. Atrill-Smith, A., Fullwood, C., Keep, M., & Kuss, D. J. (Eds.). (2019). *The Oxford handbook of cyberpsychology*. Oxford University Press. <https://www.oxfordhandbooks.com/view/10.1093/oxfordhb/9780198812746.001.0001/oxfordhb-9780198812746>
16. Libin, A. V., & Libin, E. V. (2004). Person-robot interactions from the robopsychologists' point of view: The robotic psychology and robototherapy approach. *Proceedings of the IEEE*, 92(11), 1789–1803. <https://doi.org/10.1109/JPROC.2004.835366>
17. David, D., Matu, S.-A., & David, O. A. (2014). Robot-based psychotherapy: Concepts development, state of the art, and new directions. *International Journal of Cognitive Therapy*, 7(2), 192–210. <https://doi.org/10.1521/ijct.2014.7.2.192>
18. Esteban, P. G., Baxter, P., Belpaeme, T., Billing, E., Cai, H., Cao, H.-L., Coeckelbergh, M., Costescu, C., David, D., De Beir, A., Fang, Y., Ju, Z., Kennedy, J., Liu, H., Mazel, A., Pandey, A., Richardson, K., Senft, E., Thill, S., Ziemke, T. (2017). How to build a supervised autonomous system for robot-enhanced therapy for children with autism spectrum disorder. *Paladyn: Journal of Behavioral Robotics*, 8(1), 18–38. <https://doi.org/10.1515/pjbr-2017-0002>
19. Goodrich, M. A., Colton, M., Brinton, B., Fujiki, M., Atherton, J. A., Robinson, L., Ricks, D., Maxfield, M. H., & Acerson, A. (2012). Incorporating a robot into an autism therapy team. *IEEE Intelligent Systems*, 27(2), 52–59. <https://doi.org/10.1109/MIS.2012.40>
20. Ramírez-Duque, A. A., Bastos, T., Munera, M., Cifuentes, C. A., & Frizera Neto, A. (2020). Robot-Assisted Intervention for children with special needs: A comparative assessment for autism screening. *Robotics and Autonomous Systems*, 127, Article 103484. <https://doi.org/10.1016/j.robot.2020.103484>
21. Thill, S., Pop, C. A., Belpaeme, T., Ziemke, T., & Vanderborght, B. (2012). Robot-assisted therapy for autism spectrum disorders with (Partially)autonomous control: Challenges and outlook. *Paladyn: Journal of Behavioral Robotics*, 3(4), 209–217. <https://doi.org/10.2478/s13230-013-0107-7>
22. Diehl, J. J., Schmitt, L. M., Villano, M., & Crowell, C. R. (2012). The clinical use of robots for individuals with autism spectrum disorders: A critical review. *Research in Autism Spectrum Disorders*, 6(1), 249–262. <https://doi.org/10.1016/j.rasd.2011.05.006>
23. Bemelmans, R., Gelderblom, G. J., Jonker, P., & de Witte, L. (2012). Socially assistive robots in elderly care: A systematic review into effects and effectiveness. *Journal of the American*

- Medical Directors Association, 13(2), 114–120.e1.  
<https://doi.org/10.1016/j.jamda.2010.10.002>
24. Robinson, H., Macdonald, B., Kerse, N., & Broadbent, E. (2013). The psychosocial effects of a companion robot: A randomized controlled trial. *Journal of the American Medical Directors Association*, 14(9), 661–667. <https://doi.org/10.1016/j.jamda.2013.02.007>
25. Wada, K., Shibata, T., Saito, T., & Tanie, K. (2004). Effects of robot-assisted activity for elderly people and nurses at day service center. *Proceedings of the IEEE*, 92(11), 1780–1788. <https://doi.org/10.1109/JPROC.2004.835378>
26. Broekens, J., Heerink, M., & Rosendal, H. (2009). Assistive social robots in elderly care: A review. *Gerontechnology (Valkenswaard)*, 8(2), 94–103. <https://doi.org/10.4017/qt.2009.08.02.002.00>
27. Costescu, C. A., Vanderborght, B., & David, D. O. (2014). The effects of robot-enhanced psychotherapy: A meta-analysis. *Review of General Psychology*, 18(2), 127–136. <https://doi.org/10.1037/gpr0000007>
28. Ricks, D. J., & Colton, M. B. (2010). Trends and considerations in robot assisted autism therapy. *IEEE International Conference on Robotics and Automation*, pp. 4354–4359. <https://doi.org/10.1109/ROBOT.2010.5509327>
28. Wellman, B. (2001). Computer networks as social networks. *Science*, 293, 2031–2034. <https://doi.org/10.1126/science.1065547>
29. Liu, C. Y., & Yu, C. P. (2013). Can Facebook use induce well-being? *Cyberpsychology Behavior, and Social Networking*, 16(9), 674–678. <https://doi.org/10.1089/cyber.2012.0301>
30. Nabi, R. L., Prestin, A., & So, J. (2013). Facebook friends with (health) benefits? Exploring social network site use and perceptions of social support, stress, and well-being. *Cyberpsychology, Behavior, and Social Networking*, 16(10), 721–727. <https://doi.org/10.1089/cyber.2012.0521>
31. Cole, D. A., et al. (2019). Are aspects of Twitter use associated with reduced depressive symptoms? The moderating role of in-person social support. *Cyberpsychology, Behavior, and Social Networking*, 22(11), 692–699. <https://doi.org/10.1089/cyber.2019.0035>
32. Karsay, K., Schmuck, D., Matthes, J., & Stevic, A. (2019). Longitudinal effects of excessive smartphone use on stress and loneliness: The moderating role of self-disclosure. *Cyberpsychology, Behavior, and Social Networking*, 22(11), 706–713. <https://doi.org/10.1089/cyber.2019.0255>
33. Aarseth, E., et al (2017). Scholars' open debate paper on the World Health Organization ICD-11 Gaming Disorder proposal. *Journal of Behavioral Addictions*, 6(3), 267–270. <https://doi.org/10.1556/2006.5.2016.088>
34. Lam, L. T., Peng, Z. W., Mai, J. C., & Jing, J. (2009). Factors associated with Internet addiction among adolescents. *Cyberpsychology & Behavior*, 12(5), 551–555. <https://doi.org/10.1089/cpb.2009.0036>
35. Van Rooij, A. J., & Kardefelt-Winther, D. (2017). Lost in the chaos: Flawed literature should not generate new disorders. *Journal of Behavioral Addictions*, 6(2), 128–132. <https://doi.org/10.1556/2006.6.2017.015>
36. Himmelsbach J., et al. Do We Care About Diversity in Human Computer Interaction: A Comprehensive Content Analysis on Diversity Dimensions in Research, CHI 2019, May 4–9, 2019, Glasgow, Scotland, UK, <https://doi.org/10.1145/3290605.3300720>
37. Liam Bannon. 2011. Reimagining HCI: toward a more human-centered perspective. *interactions* 18, 4 (2011), <https://doi.org/10.1145/1978822.1978833>
38. Kari Kuutti. 2001. Hunting for the lost user: From sources of errors to active actors – and beyond. In *Paper presented at Cultural Usability Seminar, Media Lab, University of Art and Design*. Media Lab, University of Art and Design Helsinki
39. Haraway D. 1988. Situated Knowledges: The Science Question in Feminism and the Privilege of Partial Perspective. *Feminist Studies* 14, 3 (1988), 575–599. <https://doi.org/10.2307/3178066>
40. Yang Li and James A. Landay. 2008. Activity-based prototyping of ubicomp applications for long-lived, everyday human activities. In *Proceeding of the twenty-sixth annual CHI conference on Human factors in computing systems -CHI '08*. ACM Press, New York, New York, USA, 1303. <https://doi.org/10.1145/1357054.1357259>
42. Sobel K. 2017. Equity & Inclusivity at IDC. *Idc* (2017), 761–767.
43. Juanita Brown and David Isaacs. 2006. *The World Café: Shaping Our Futures Through Conversations That Matter*. Berrett-Koehler Publishers Inc, San Francisco.
44. Gentry C, Ramzan Z, Stubblebine S (2005) Secure distributed human computation. In: *ACM Conf. on Electronic Commerce*, pp 328–332

45. Mark Chignell, Peter A. Hancock, Harumi Takeshita, *Human- Computer Interaction: The Psychology of Augmented Human Behavior, Human Performance and Ergonomics* Academic Press.
46. Melissa R. H., et al. 2009. Human-computer interaction for development: The past, present, and future. *Information Technologies & International Development* 5, 4 (2009), pp-1.
47. Pamela Wisniewski, Geraldine Fitzpatrick, and Michael Muller. 2018. Intersectionality as a Lens to Promote Equity and Inclusivity within SIGCHI. In *Extended Abstracts of the 2018 CHI Conference on Human Factors in Computing Systems*, p. panel08. ACM, (2018), 1-6. <https://doi.org/10.1145/3170427.3186324>
48. Jeffrey J. Arnett. 2008. The Neglected 95%: Why American Psychology Needs to Become Less American. *American Psychologist* 63, 7 (2008), 602-614. <https://doi.org/10.1037/0003-066X.63.7.602>
49. Kelly Caine. 2016. Local Standards for Sample Size at CHI. *Proceedings of the 2016 CHI Conference on Human Factors in Computing Systems CHI '16* (2016), 981-992. <https://doi.org/10.1145/2858036.2858498>
50. Jeffrey J. Arnett. 2008. The Neglected 95%: Why American Psychology Needs to Become Less American. *American Psychologist* 63, 7 (2008), 602-614. <https://doi.org/10.1037/0003-066X.63.7.602>
51. Louise Barkhuus and Jennifer A Rode. 2007. From Mice to Men - 24 years of Evaluation in CHI. In *Extended Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*. 1-16. <https://doi.org/10.1145/1240624.2180963>
52. Li Y. and Landay J. A. 2008. Activity-based prototyping of ubicomp applications for long-lived, everyday human activities. In *Proceeding of the twenty-sixth annual CHI conference on Human factors in computing systems -CHI '08*. ACM Press, New York, New York, USA, 1303. <https://doi.org/10.1145/1357054.1357259>.
53. Kelly Caine. 2016. Local Standards for Sample Size at CHI. *Proceedings of the 2016 CHI Conference on Human Factors in Computing Systems CHI '16* (2016), 981-992. <https://doi.org/10.1145/2858036.2858498>
54. Schlesinger A., Edwards W. K., and Grinter R. E. 2017. Intersectional HCI: Engaging Identity through Gender, Race, and Class. In *Proceedings of the 2017 CHI Conference on Human Factors in Computing Systems -CHI '17*. ACM Press, New York, New York, USA, 5412-5427. <https://doi.org/10.1145/3025453.3025766>
55. Hooyman N. R. and Kiyak H. A. 2008. *Social Gerontology: A Multidisciplinary Perspective*. Pearson/Allyn & Bacon, Boston.
56. Choo H. Y. and Ferree M. M. 2010. Practicing Intersectionality in Sociological Research: A Critical Analysis of Inclusions, Interactions, and Institutions in the Study of Inequalities. *Sociological Theory* 28, 2 (2010), 129-149. <https://doi.org/10.1111/j.1467-9558.2010.01370.x>
57. Brown J. and Isaacs D. 2006. *The World Café: Shaping Our Futures Through Conversations That Matter*. Berrett-Koehler Publishers Inc, San Francisco.
58. Derrick L. Cogburn. 2003. HCI in the so-called developing world: what's in it for everyone. *Interactions* 10, 2 (2003), 80-87. <https://doi.org/10.1145/637848.637866>
59. 2016. *CHI '16: Proceedings of the 2016 CHI Conference on Human Factors in Computing Systems*. ACM, New York, NY, USA.
60. 2011. *CHI '11: Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*. ACM, New York, NY, USA.
61. Sebe N. (2010) Human-centered Computing. In: Nakashima H., Aghajan H., Augusto J.C. (eds) *Handbook of Ambient Intelligence and Smart Environments*. Springer, Boston, MA. [https://doi.org/10.1007/978-0-387-93808-0\\_13](https://doi.org/10.1007/978-0-387-93808-0_13)
62. Shneiderman B (2002) *Leonardo's Laptop: Human Needs and the New Computing Technologies*. MIT Press
63. Karat J, Karat C (2003) The evolution of user-centered focus in the human-computer interaction field. *IBM Systems* 42(2):532-541
64. Foley J (2008) HCC educational digital library. Tech. rep., <http://HCC.cc.gatech.edu>
65. HCC (2008) Human-Centered Computing: An interdisciplinary consortium at UC Berkeley. URL <http://www.cs.berkeley.edu/jfc/HCC/>
66. Gentry C, Ramzan Z, Stubblebine S (2005) Secure distributed human computation. In: *ACM Conf. on Electronic Commerce*, pp 328-332
67. von Ahn L, Dabbish L (2008) General techniques for designing games with a purpose. *Communications of the ACM* pp 58-67
68. Von Ahn L (2006) Games with a purpose. *IEEE Computer* pp 96-98

69. Yang Y (2021) The Talent Training Mode of International Service Design Using a Human-Computer Interaction Intelligent Service Robot From the Perspective of Cognitive Psychology. *Front. Psychol.* 12:600218.doi: 10.3389/fpsyg.2021.600218
70. Ritter, S., Barrett, D. G., Santoro, A., and Botvinick, M. M. (2017). Cognitive psychology for deep neural networks: a shape bias case study. arXiv preprint arXiv:170608606.
71. Kuo, H. C., Tseng, Y. C., and Yang, Y. T. C. (2019). Promoting college student's learning motivation and creativity through a STEM interdisciplinary PBL human-computer interaction system design and development course. *Think. Skills Creativity* 31, 1–10. doi: 10.1016/j.tsc.2018.09.001
72. Khan, M. ,2016. Teaching human computer interaction at undergraduate level in Pakistan. *Int. J. Comput. Sci. Inform. Secur.* 14:278.
73. Urquiza-Fuentes, J., and Paredes-Velasco, M. (2017). Investigating the effect of realistic projects on students' motivation, the case of human-computer interaction course. *Comput. Hum. Behav.* 72, 692–700.doi: 10.1016/j.chb.2016.07.020
74. Gary M. Olson and Judith S. Olson, HUMAN-COMPUTER INTERACTION: Psychological Aspects of the Human Use of Computing, *Annu. Rev. Psychol.* 2003. 54:491–516doi: 10.1146/annurev.psych.54.101601.145044
75. Card SK, Moran TP, Newell A. 1983. *The Psychology of Human-Computer Interaction*. Hillsdale, NJ: Erlbaum
76. Lerch FJ, Mantei M, Olson JR. 1989. Skilled financial planning: the cost of translating ideas into action. In *Proc. CHI (Comput. Hum. Interact.) 1989*, pp. 121–26. New York: ACM Press
77. Lohse G. 1991. A cognitive model for the perception and understanding of graphs. In *Proc. CHI (Comput. Hum. Interact.) 1991*, pp. 137–44. New York: ACM Press
78. Imel, Z. E., Caperton, D. D., Tanana, M., & Atkins, D. C. (2017, March 20). Technology-Enhanced Human Interaction in Psychotherapy. *Journal of Counseling Psychology*. Advance online publication. <http://dx.doi.org/10.1037/cou0000213>
79. McCullough, D. (2015). *The Wright brothers*. New York, NY: Simon & Schuster.
80. Kinney, J. R. (2006). *Airplanes: The life story of a technology*. Baltimore, MD: Johns Hopkins University Press.
81. Tracey, T. J. G., Wampold, B. E., Lichtenberg, J. W., & Goodyear, R. K. (2014). Expertise in psychotherapy: An elusive goal? *American Psychologist*, 69, 218–229. <http://dx.doi.org/10.1037/a0035099>
82. Wampold, B. E., & Imel, Z. E. (2015). *The great psychotherapy debate: The evidence for what makes psychotherapy work*. New York, NY: Routledge.
83. *The International Encyclopedia of Geography*. Edited by Douglas Richardson, Noel Castree, Michael F. Goodchild, Audrey Kobayashi, Weidong Liu, and Richard A. Marston. DOI: 10.1002/9781118786352.wbieg0432
84. Lassaad Ben Ammar , Abdelwaheb Trabelsi , Adel Mahfoudhi, A model-driven approach for usability engineering of interactive systems, *Software Qual J* (2016) 24:301–335 DOI 10.1007/s11219-014-9266-y
85. Abran, A., Khelifi, A., Suryan, W., & Seffah, A. (2003). Usability meanings and interpretations in iso standards. *Software Quality Journal*, 11(4), 325–338.
86. Seffah, A., & Metzker, E. (2004). The obstacles and myths of usability and software engineering. *Communications of the ACM*, 47(12), 71–76.
87. Seffah, A., Donyaee, M., Kline, R. B., & Padda, H. K. (2006). Usability measurement and metrics: A consolidated model. *Software Quality Control*, 14, 159–178.
88. Abrahão, S., Iborra, E., & Vanderdonck, J. (2008). Usability evaluation of user interfaces generated with a model-driven architecture tool. In E. C. Law, E. Hvannberg, & G. Cockton (Eds.), *Maturing usability: Quality in software, interaction and value., human-computer interaction series* (pp. 3–32). London: Springer.
89. Aquino, N., Vanderdonck, J., Condori-Fernández, N., Dieste, O., & Pastor, O. (2010). Usability evaluation of multi-device/platform user interfaces generated by model-driven engineering. In *Proceedings of the 2010 ACM-IEEE international symposium on empirical software engineering and measurement, ESEM '10* (pp. 30:1–30:10). New York, NY: ACM. doi:10.1145/1852786.1852826.
90. Fernandez, A., Abrahão, S., & Insfran, E. (2013). Empirical validation of a usability inspection method for model-driven web development. *Journal of Systems and Software*, 86(1), 161–186.
91. Panach, J. I., Aquino, N., & Pastor, O. (2014). A proposal for modelling usability in a holistic mdd method. *Science of Computer Programming*, 86, 74–88.

92. Bass, L., & John, B. E. (2000). Achieving usability through software architectural styles. In CHI '00 extended abstracts on human factors in computing systems, CHI EA '00 (pp. 171–172). New York, NY:ACM.
93. Calvary, G., Coutaz, J., Thevenin, D., Limbourg, Q., Bouillon, L., & Vanderdonckt, J. (2003). A unifying reference framework for multi-target user interfaces. *Interacting with Computers*, 15(3),289–308. *Computer-Aided Design of User Interface*.
94. Gonzalez-Huerta, J., et al. (2010). Towards an architecture for ensuring product quality in model-driven software development. In Proceedings of the 11th international conference on product focused software, PROFES '10 (pp. 28–31). New York, NY: ACM.
95. Sottet, J. S., et al. (2008). A model-driven engineering approach for the usability of plastic user interfaces. In: J. Gulliksen, M. Harning, P. Palanque, G. Veer, & J. Wesson (Eds.), *Engineering interactive systems, lecture notes in computer science* (Vol. 4940, pp. 140–157). Berlin, Heidelberg: Springer.
96. Nielsen J. 1993. *Usability Engineering*. Boston: Academic
97. Whiteside J, Bennett J, Holtzblatt K. 1988. Usability engineering: our experience and evolution. See Helander 1988, pp. 791–817
98. Carroll JM. 1985. *What's in a Name? An Essay in the Psychology of Reference*. New York: Freeman
99. Whiteside J, Wixon D. 1987. Improving human-computer interaction: a quest for cognitive science. In *Interfacing Thought: Cognitive Aspects of Human-Computer Interaction*,ed. JM Carroll, pp. 337–52. Cambridge, MA: Bradford/MIT Press
100. Wixon D, Holtzblatt K, Knox S. 1990. Contextual design: an emergent view of system design. In *Proc. CHI '90: Hum. Factors Comput. Sys.*, Seattle, pp. 329–36. New York: Assoc. Comput. Mach.

## **Aims and Objectives**

Published online by Institute of Certified Specialists twice a year, **Journal of Digital Art & Humanities (JDAH)** is an international peer-reviewed journal which **aims** at the latest ideas, innovations, trends, experiences and concerns in the field of the digital arts & humanities. JDAH bridges humanitarian, artistic, and scientific disciplines, allowing author(s) to express the views on the subjects studied using modern digital/information technology. It is a nexus for information exchange among academia and industry addressing theory, criticism, and practice. The effective dissemination of original ideas/results generated by the human brain and presented/reflected in articles created using modern information/digital technology **is the main objective of JDAH.**

Topics to be discussed in this journal include the following: Digital Journey; Ethical Climate in the digital age; Human Factor in Healthcare in the digital age; Health Psychology in the digital age; Role of Human-Computer Interaction in Psychology; The Critical Thinking Initiative; Ecotourism in the digital age.

All articles are in open access distributed under Publisher decision.

## **Editorial Board**

**Editor-in-Chief** Tatiana Antipova, Institute of Certified Specialists, Russia

<https://orcid.org/0000-0002-0872-4965>

### **Editors**

Antonio Donizeti da Cruz, Universidade Estadual do Oeste do Paraná, Letras, Brazil

<https://orcid.org/0000-0002-4672-7542>

Ari Riswanto, Universitas Pendidikan, Bandung, Indonesia

<https://orcid.org/0000-0002-0924-7996>

Florin Popentiu-Vlădicescu, "Elena Teodorini" Academy of Arts and Sciences, London, UK

<https://orcid.org/0000-0002-0857-117X>

Jon W. Beard, Iowa State University, Ames, US

<https://orcid.org/0000-0002-6274-6567>

Narcisa Roxana Moşteanu, American University of Malta, Malta

<https://orcid.org/0000-0001-5905-8600>

Patricia Ioana Riurean, University of Bucharest, Romania

<https://orcid.org/0000-0003-1683-0052>

Rashmi Gujrati, Tecnia Institute of Advanced studies, New Delhi, India

<https://orcid.org/0000-0002-1128-3742>

Vasily Z. Tsereteli, Russian Academy of Arts, Moscow, Russia.

### **Publisher**

Institute of Certified Specialists (ICS)

95a Lunacharskogo str., Perm, Russian Federation

**Journal URL:** <https://ics.events/journal-of-digital-art-humanities/>

**Email:** [conf@ics.events](mailto:conf@ics.events)

The picture on JDAH cover was painted by Antonio Donizeti da Cruz.